

Univers	Professional
Type	Products
Category	Pulleys & Progress-Capture Pulleys
Subcategory	Single pulleys



RESCUE S

The RESCUE S pulley is designed for work-at-height professionals and for setting up on-site rescue systems. Ultra-compact, lightweight, and high efficiency, it is designed for handling moderate loads.

Short Description Lightweight and ultra-compact, high efficiency pulley

Selling Points

- Designed for handling moderate loads:
- Sheave mounted on sealed ball bearings provides high efficiency
- Ultra-compact and lightweight, ideal for everyday work-at-height use or for on-site rescue
- Moving side plates make it quick and easy to install the rope
- Attachment holes allow most European-standard carabiners to rotate
- Available in two colors: Yellow or black

Specification

- Rope compatibility: 6 to 11 mm
- Sheave diameter: 25mm
- Ball bearings: Yes
- Efficiency: 91%
- Maximum working load: 5kN
- Breaking strength: 18kN
- Weight: 52g
- Certification(s): CE EN 12278, UIAA, NFPA Technical Use, XF 494 Light
- Material(s): Aluminum, stainless steel

Specifications by reference

Reference(s)	P050AA00	P050AA01
Color(s)	Yellow	Black
Made in	FR	FR
Guarantee	3 years	3 years
Inner Pack Count	1	1
Quantity Per Box	37	37
EAN	3342540853836	3342540853843

Related product(s)

- OK
- RIG®
- PARALLEL 10.5 mm
- CORDEX