

Univers	Professional
Type	Products
Category	Pulleys & Progress-Capture Pulleys
Subcategory	Prusik-Minding Pulleys



MINDER L2

The MINDER L2 pulley is designed for rescue professionals. Its special side plates are designed for use with a Prusik friction hitch in progress-capture systems. With two mounted sheaves and an auxiliary attachment point, it is designed for setting up complex haul systems. High-strength and very high efficiency, it is built for intensive use and handling heavy loads.

Short Description High-strength, very high efficiency double Prusik pulley

Selling Points

- Use in progress-capture systems:
 - Moving side plates designed for use with a Prusik friction hitch
- Designed to handle heavy loads and for intensive use:
 - Large-diameter sheave mounted on sealed ball bearings provides very high efficiency
 - Possible to set up complex haul systems, with two parallel-mounted sheaves and an auxiliary attachment point
 - Large attachment holes fit up to three carabiners for ease of use
 - Specific side plate design protects the rope path

Specification

- Rope compatibility: 6 to 13 mm
- Sheave diameter: 51mm
- Ball bearings: Yes
- Efficiency: 97%
- Maximum working load: 12kN
- Breaking strength: 40kN
- Breaking strength of the auxiliary attachment point: 22 kN
- Weight: 436g
- Certification(s): CE EN 12278, NFPA General Use, XF 494 General
- Material(s): Aluminum, stainless steel

Specifications by reference

Reference(s)	P060DA00
Color(s)	Yellow
Made in	FR
Guarantee	3 years
Inner Pack Count	1
Quantity Per Box	10
EAN	3342540853904

Related product(s)

- OK
- MAESTRO® S
- MAESTRO® L
- BEAM 11 mm
- VECTOR 12.5 mm
- PAW