

Univers	Professional
Туре	Verticality
Category	Rope clamps
Subcategory	Cam-loaded rope clamps



RESCUCENDER

Simple to use and ergonomic, the RESCUCENDER is an openable cam-loaded rope clamp designed for use in haul systems as a tractor or progress capture device.



Openable guided cam allows easy installation or removal of the rope clamp at any point on the rope.



The safety catches are equipped with indicators that show when they are unlocked.

Short Description	Openable cam-loaded rope clamp	
Selling Points	 Designed for use in haul systems as a tractor or progress capture device Simple to use, and ergonomic: openable cam allows installation or removal of the rope clamp at any point on the rope independent safety catches on each side of the device allow easy opening while reducing the risk of accidental opening. These safety catches are equipped with indicators that show when they are unlocked. cam integrated into frame of device for ease of handling large attachment hole to facilitate carabiner rotation integrated cam spring helps avoid accidental snagging and increases durability 	
Specification	 Material(s): aluminum, stainless steel, nylon Weight: 260g Certification(s): CE EN 567, UKCA for use with 9 to 13 mm rope XF 494: FZL-Z-Q for use with 9.5 to 13 mm rope Certification(s): CE EN 12841 type B, NFPA 2500 Technical Use, EAC for use with 10 to 13 mm rope 	

Specifications by reference

Reference(s)	B50A
Made in	TW
Guarantee	3 years
Inner Pack Count	1
Quantity Per Box	8
EAN	3342540103818

Related product(s)

Am'D